



প্রাগজ্যোতিষ মহাবিদ্যালয়

**PRAGJYOTISH COLLEGE**

Accredited by NAAC with B Grade (3rd Cycle), under Revised  
Accreditation Framework (RAF)



# GENERAL FEEDBACK ANALYSIS REPORT 2022-2023

# **CONTENTS**

**Page No.**

1. METHOD OF ANALYSIS.....	3
2. GENERAL FEEDBACK ON AMBIENCE OF THE COLLEGE	
2.1. NON-TEACHING STAFF FEEDBACK.....	4-8
2.2. TEACHING STAFF FEEDBACK.....	9-15
2.3. STUDENT FEEDBACK.....	16-21

## 1. METHOD OF ANALYSIS:

Feedback was taken based on Likert Scale out of 10

Scale of Rating				
10	8	6	4	2
Strongly Agree	Agree	Neutral	Disagree	Strongly Disagree

## Number of Responses

STAKEHOLDERS	NUMBER OF RESPONSES
NON-TEACHING STAFF	08
TEACHING STAFF	73
STUDENTS	360

## QUESTIONNAIRE (NON-TEACHING STAFFS)

Facilities and infrastructure for office work is

- Very good
- Good
- Satisfactory
- Bad
- Very bad

Canteen facility is

- Very good
- Good
- Satisfactory
- Bad
- Very bad

Washroom conditions are

- Very good
- Good
- Satisfactory
- Bad
- Very bad

Common room and sick room facilities are

- Very good
- Good
- Satisfactory
- Bad
- Very bad

Support and cooperation from the administration is

- Very good
- Good
- Satisfactory
- Bad
- Very bad

Safety and security level of the college is

- Very good
- Good
- Satisfactory
- Bad
- Very bad

111

Grievance redressal mechanism is

- Very good
- Good
- Satisfactory
- Bad
- Very bad

Comment, if any.

Short answer text

.....

# ANALYSIS

## Who has responded?

### Email

reemasaikia199@gmail.com

dassabita5213@gmail.com

dibyajraj91@gmail.com

bipuldasprag@gmail.com

saikiaprasanna35@gmail.com

anupdeka326@gmail.com


manabendrkalita2023@gmail.com

ratulnatha250@gmail.com

## Facilities and infrastructure for office work is

 Copy


7 responses



## Canteen facility is

 Copy


8 responses



### Washroom conditions are

 Copy


8 responses



### Common room and sick room facilities are

 Copy


4 responses



### Support and cooperation from the administration is

 Copy


8 responses



### Safety and security level of the college is

 Copy


8 responses



### Grievance redressal mechanism is

 Copy


8 responses



### Comment, if any.

 Copy



7 responses





# QUESTIONNAIRE (TEACHING STAFFS)

## General Feedback Form (for Teachers)

**B I U**  

Form description

This form is automatically collecting emails from all respondents. [Change settings](#)

Facilities and infrastructure for research is

Very good

Good

Satisfactory

Bad

Very bad

Research climate of the institution is

Very good

Good

Satisfactory

Bad

Very bad

Canteen facility is

Very good

Good

Satisfactory

Bad

Very bad

Washroom conditions are

- Very good
- Good
- Satisfactory
- Bad
- Very bad

!!!

Common room and sick room facilities are

- Very good
- Good
- Satisfactory
- Bad
- Very bad

Support and cooperation from the administration is

- Very good
- Good
- Satisfactory
- Bad
- Very bad

\*\*\*

Support and cooperation from the administration is

- Very good
- Good
- Satisfactory
- Bad
- Very bad

Safety and security level of the college is

- Very good
- Good
- Satisfactory
- Bad
- Very bad

Grievance redressal mechanism is

- Very good
- Good
- Satisfactory
- Bad
- Very bad

Comment, if any.

Short answer text

.....

## Who has responded?

### Email

namitadsaikia@gmail.com

priyambarthakur@pragjyotishcollege.ac.in

bintidihingia@pragjyotishcollege.ac.in

manojit@pragjyotishcollege.ac.in

sangeeta@pragjyotishcollege.ac.in

seemashribora@pragjyotishcollege.ac.in

seemkaur@gmail.com


iradas@pragjyotishcollege.ac.in

shyamalin@pragjyotishcollege.ac.in

## Facilities and infrastructure for research is

[Copy](#)


71 responses



## Research climate of the institution is

[Copy](#)


72 responses



Washroom conditions are

356 responses


[Copy](#)



Common room and sick room facilities are

350 responses


[Copy](#)



Support and cooperation from the administration is

355 responses


[Copy](#)



Safety and security level of the college is

355 responses


[Copy](#)



Canteen facility is

73 responses


 Copy



Washroom conditions are

73 responses


 Copy



Common room and sick room facilities are

73 responses


 Copy



Support and cooperation from the administration is

73 responses


 Copy



Safety and security level of the college is

[Copy](#)


72 responses



Grievance redressal mechanism is

[Copy](#)


73 responses



Comment, if any.

[Copy](#)



21 responses



# QUESTIONNAIRE (STUDENTS)

## General Feedback Form (for Students)

---

**B** *I* U  

Form description

This form is automatically collecting emails from all respondents. [Change settings](#)

---

Facilities and infrastructure for proper teaching-learning is

Very good

Good

Satisfactory

Bad

Very bad

---

Canteen facility is

Very good

Good

Satisfactory

Bad



Washroom conditions are

- Very good
- Good
- Satisfactory
- Bad
- Very bad

Common room and sick room facilities are

- Very good
- Good
- Satisfactory
- Bad
- Very bad

Support and cooperation from the administration is

- Very good
- Good
- Satisfactory
- Bad
- Very bad

Safety and security level of the college is

- Very good
- Good
- Satisfactory
- Bad
- Very bad

Grievance redressal mechanism is

- Very good
- Good
- Satisfactory
- Bad
- Very bad

Gymnasium facility and other facilities for co-curricular and extracurricular activities are

- Very good
- Good
- Satisfactory
- Bad
- Very bad

Comment, if any.

Short answer text

.....

# ANALYSIS

### Who has responded?

Email

- arpanakalita9859@gmail.com
- begumajmina38@gmail.com
- boruahdebashree190@gmail.com
- sandhyagupta60260@gmail.com
- mdey35312@gmail.com
- parimitaborah27@gmail.com
- jeettalukdarforoff009@gmail.com
- baruahjubi70@gmail.com
- ...

### Facilities and infrastructure for proper teaching-learning is

357 responses

[Copy](#)

Category	Percentage
Very good	29.1%
Good	44%
Satisfactory	21.8%
Bad	1.8%
Very bad	2.5%

### Canteen facility is

356 responses


[Copy](#)

Category	Percentage
Very good	9.3%
Good	35.7%
Satisfactory	34.6%
Bad	11.8%
Very bad	8.7%

Grievance redressal mechanism is

340 responses


 Copy



Gymnasium facility and other facilities for co-curricular and extracurricular activities are

350 responses

 Copy



Comment, if any.

84 responses

No

Good

Nothing

Good

Good experience

Improvement

No comment

All side good

We want to more water supply in our department area

## **SUMMARY REPORT:**

### **➤ Feedback from Non-teaching Staffs:**

- **Common room and sick room facility for non-teaching staffs**

### **➤ Feedback from Teaching Staffs:**

- **Research environment can be improved further in the purview of NEP 2020, including increase in laboratory facilities**
- **Inclusion of separate period for research in the daily schedule**

### **➤ Feedback from Students:**

- **Washroom and canteen facilities needs to be improved**
- **Water supply to be further improved**



প্রাগজ্যোতিষ মহাবিদ্যালয়

**PRAGJYOTISH COLLEGE**

Accredited by NAAC with B Grade (3rd Cycle), under Revised  
Accreditation Framework (RAF)